

# **SAFETY DATA SHEET**

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name MONT MARTE DIMENSION ACRYLIC PAINTS (ALL COLOURS EXCEPT BURNT UMBER, RAW UMBER,

VANDYKE BROWN, BLACK) (EU)

Synonym(s) DIMENSION ACRYLIC PAINTS

1.2 Uses and uses advised against

Use(s) ARTIST PAINT

1.3 Details of the supplier of the product

Supplier name MONT MARTE INTERNATIONAL PTY LTD

Address 27A Pentex Street, Salisbury, QLD, 4107, AUSTRALIA

**Telephone** (07) 3255 5406 **Fax** (07) 3255 5409

Website <a href="http://www.montmarte.net">http://www.montmarte.net</a>

1.4 Emergency telephone number(s)

Emergency 13 11 26

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### 2.2 Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

#### 2.3 Other hazards

No information provided.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
WATER	7732-18-5	231-791-2	40 to 70%
POLYACRYLIC ACID	9003-01-4	-	30 to 40%
PIGMENT(S)	-	-	<30%
2-AMINO-2-METHYL-1-PROPANOL	124-68-5	204-709-8	<1%
MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2HISOTHIAZOL-3-ONE	55965-84-9	611-341-5	<0.1%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder
PROPYLENE GLYCOL (PROPANE-1,2-DIOL)	57-55-6	200-338-0	<5%
HYDROXYETHYL CELLULOSE	9004-62-0	618-387-5	<1%

## 4. FIRST AID MEASURES



SDS Date: 05 Dec 2016

Version No: 2.4

# PRODUCT NAME MONT MARTE DIMENSION ACRYLIC PAINTS (ALL COLOURS EXCEPT BURNT UMBER, RAW UMBER, VANDYKE BROWN, BLACK) (EU)

#### 4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poisons Information Centre on +61 2 9845 3111 (Sydney - Australia) or a doctor (at

once). If swallowed, do not induce vomiting.

First aid facilities None allocated.

#### 4.2 Most important symptoms and effects, both acute and delayed

Adverse effects not expected from this product under normal conditions of use.

#### 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

#### 5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases if strongly heated.

#### 5.3 Advice for firefighters

No fire or explosion hazard exists.

## 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

## 6.2 Environmental precautions

Prevent product from entering drains and waterways.

## 6.3 Methods of cleaning up

If spilt, collect and reuse where possible. Alternatively, contain spillage, then collect and place in suitable containers for disposal.

## 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

## 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

Page 2 of 6

## 7.3 Specific end use(s)

No information provided.



SDS Date: 05 Dec 2016

Version No: 2.4

**PRODUCT NAME** 

## MONT MARTE DIMENSION ACRYLIC PAINTS (ALL COLOURS EXCEPT BURNT UMBER, RAW UMBER, VANDYKE BROWN, BLACK) (EU)

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1 Control parameters

## **Exposure standards**

Ingredient	Reference	TWA		STEL	
Ingredient	Kelefelice	ppm	mg/m³	ppm	mg/m³
2-Amino-2-methylpropanol (AMP)	OEL (Germany)	1	4.6		
Propan-1,2-diol	OEL (Norway)	25	79		
Propane-1,2-diol (particulates only)	WEL (UK)		10		
Propane-1,2-diol (total vapour & particulates)	WEL (UK)	150	474		

#### **Biological limits**

No biological limit values have been entered for this product.

#### 8.2 Exposure controls

**Engineering controls** Avoid inhalation. Use in well ventilated areas.

**PPE** 

Eye / Face When using large quantities or where heavy contamination is likely, wear splash-proof goggles.

Hands With prolonged use, wear PVC or rubber gloves. **Body** Not required under normal conditions of use. Respiratory Not required under normal conditions of use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

COLOURED PASTE **Appearance** Odour **ODOURLESS Flammability** NON FLAMMABLE **NOT RELEVANT** Flash point

**Boiling point** 100°C

**NOT AVAILABLE Melting point NOT AVAILABLE Evaporation rate** pН 8.0 to 9.0 **NOT AVAILABLE** Vapour density Specific gravity 1.09 to 1.29 Solubility (water) SOLUBLE **NOT AVAILABLE** Vapour pressure Upper explosion limit NOT RELEVANT Lower explosion limit NOT RELEVANT Partition coefficient NOT AVAILABLE Autoignition temperature NOT AVAILABLE Decomposition temperature **NOT AVAILABLE Viscosity NOT AVAILABLE Explosive properties NOT AVAILABLE** 

**NOT AVAILABLE** 

**NOT AVAILABLE** 

## 10. STABILITY AND REACTIVITY

Oxidising properties

**Odour threshold** 

## 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

#### 10.2 Chemical stability

Stable under recommended conditions of storage.

## 10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.



SDS Date: 05 Dec 2016 Version No: 2.4

# PRODUCT NAME MONT MARTE DIMENSION ACRYLIC PAINTS (ALL COLOURS EXCEPT BURNT UMBER, RAW UMBER, VANDYKE BROWN, BLACK) (EU)

#### 10.4 Conditions to avoid

Avoid contact with incompatible substances.

#### 10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid) and alkalis (e.g. sodium hydroxide).

#### 10.6 Hazardous decomposition products

May evolve toxic gases if heated to decomposition.

## 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

Acute toxicity No known toxicity data is available for this product. Based on available data, the classification criteria are not

met.

Information available for the ingredient(s):

Ingredient	Oral Toxicity (LD50)	Dermal Toxicity (LD50)	Inhalation Toxicity (LC50)
POLYACRYLIC ACID	2500 mg/kg (rat)		
2-AMINO-2-METHYL-1-PROPANOL	2150 mg/kg (mouse)		
MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2HISOTHIAZOL-3-ONE	53 mg/kg (rat)		
PROPYLENE GLYCOL (PROPANE-1,2-DIOL)	> 2080 mg/kg (quail)	20800 mg/kg (rabbit)	

**Skin** Not classified as a skin irritant. Contact may result in mild irritation.

Eye Not classified as an eye irritant. Contact may cause discomfort, lacrimation and redness.

**Sensitisation** Not classified as causing skin or respiratory sensitisation.

Mutagenicity

Not classified as a mutagen.

Carcinogenicity

Not classified as a carcinogen.

Not classified as a carcinogen.

**Reproductive** Not classified as a reproductive toxin.

STOT - single exposure

STOT - repeated

exposure

Not classified as causing organ damage from repeated exposure.

Not classified as causing organ damage from single exposure.

**Aspiration** This product does not present an aspiration hazard.

## 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

No information provided.

# 12.2 Persistence and degradability

No information provided.

# 12.3 Bioaccumulative potential

No information provided.

#### 12.4 Mobility in soil

No information provided.

## 12.5 Results of PBT and vPvB assessment

No information provided.

## 12.6 Other adverse effects

No information provided.

## 13. DISPOSAL CONSIDERATIONS



SDS Date: 05 Dec 2016 Version No: 2.4

# PRODUCT NAME MONT MARTE DIMENSION ACRYLIC PAINTS (ALL COLOURS EXCEPT BURNT UMBER, RAW UMBER, VANDYKE BROWN, BLACK) (EU)

#### 13.1 Waste treatment methods

Waste disposal For small amounts, absorb with sand, vermiculite or similar and dispose of to an approved landfill site.

Contact the manufacturer/supplier for additional information if disposing of large quantities (if required).

**Legislation** Dispose of in accordance with relevant local legislation.

## 14. TRANSPORT INFORMATION

## NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF ADR, IMDG OR IATA

	LAND TRANSPORT (ADR / RID)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

## 14.5 Environmental hazards

No information provided.

14.6 Special precautions for user

#### 15. REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC.

Classifications None allocated.

Risk phrases None allocated.

Safety phrases None allocated.

Inventory listing(s) AUSTRALIA: AICS (Australian Inventory of Chemical Substances)

All components are listed on AICS, or are exempt.

**EUROPE: EINECS (European Inventory of Existing Chemical Substances)** 

All components are listed on EINECS, or are exempt.

#### 15.2 Chemical safety assessment

No information provided.

#### 16. OTHER INFORMATION

#### Additional information

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

Page 5 of 6

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

#### HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

ChemAlert.

SDS Date: 05 Dec 2016

Version No: 2.4

#### PRODUCT NAME

# MONT MARTE DIMENSION ACRYLIC PAINTS (ALL COLOURS EXCEPT BURNT UMBER, RAW UMBER, VANDYKE BROWN, BLACK) (EU)

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System
DNEL Derived No Effect Level

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit
PBT Persistent, bioaccumulative, toxic

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

PNEC Predicted No Effect Concentration

ppm Parts Per Million

REACH Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

TLV Threshold Limit Value TWA Time Weighted Average

vPvB Very Persistent and Very Bioaccumulative

#### Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

#### Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmt.com.au.

Prepared in accordance with: Annex II of the REACH Regulation (EC) 1907/2006; (CLP) Regulation (EC) 1272/2008; and Regulation (EC) 453/2010 (Amendments to (EC) 1272/2008).

[ End of SDS ]



SDS Date: 05 Dec 2016 Version No: 2.4

Page 6 of 6