

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name MONT MARTE ACRYLIC MEDIUM - GLOSS
Synonym(s) ACRYLIC MEDIUM - GLOSS

1.2 Uses and uses advised against

Use(s) ARTIST PAINT

1.3 Details of the supplier of the product

Supplier name MONT MARTE INTERNATIONAL PTY LTD
Address 27A Pentex Street, Salisbury, QLD, 4107, AUSTRALIA
Telephone (07) 3255 5406
Fax (07) 3255 5409
Website <http://www.montmarte.net.au>

1.4 Emergency telephone number(s)

Emergency 13 11 26

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

2.2 Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

2.3 Other hazards

No information provided.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	Identification	Classification		Content
		GHS	Risk	
ISOTHIAZOLINONE CHLORIDE	CAS: 55965-84-9 EC: 611-341-5	Aquatic Chronic 1, H410 Aquatic Acute 1, H400 Skin Sens. 1, H317 Skin Corr. 1B, H314 Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301	T;R23/24/25 C;R34 Xn;R43 N;R50/53	<0.0015%
WATER	CAS: 7732-18-5 EC: 231-791-2	Not Available	Not Available	50 to 55%
POLYACRYLIC ACID	CAS: 9003-01-4	Not Available	Not Available	30 to 40%
2,2,4-TRIMETHYL-1,3-PENTANEDIOL MONOISOBUTYRATE	CAS: 25265-77-4 EC: 246-771-9	Not Available	Not Available	1 to 5%
PROPYLENE GLYCOL (PROPANE-1,2-DIOL)	CAS: 57-55-6 EC: 200-338-0	Not Available	Not Available	1 to 5%

PRODUCT NAME MONT MARTE ACRYLIC MEDIUM - GLOSS

METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER	CAS: 25212-88-8	Not Available	Not Available	<1%
--	-----------------	---------------	---------------	-----

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye	If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.
Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.
Ingestion	For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once).
First aid facilities	No information provided.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Dry agent, carbon dioxide or water fog. Prevent contamination of drains or waterways.

5.2 Special hazards arising from the substance or mixture

Combustible. May evolve toxic gases (carbon/ nitrogen oxides, ammonia, hydrocarbons) when heated to decomposition.

5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

5.4 Hazchem code

None allocated.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in Section 8 of this SDS.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

Contain spillage, then cover/absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

PRODUCT NAME MONT MARTE ACRYLIC MEDIUM - GLOSS**7.2 Conditions for safe storage, including any incompatibilities**

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Store as a Class C2 Combustible Liquid (AS1940).

7.3 Specific end use(s)

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters**Exposure standards**

Ingredient	Reference	TWA		STEL	
		ppm	mg/m ³	ppm	mg/m ³
Propane-1,2-diol (particulates only)	SWA (AUS)	--	10	--	--
Propane-1,2-diol (total vapour & particulates)	SWA (AUS)	150	474	--	--

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended.

PPE

Eye / Face	When using large quantities or where heavy contamination is likely, wear splash-proof goggles.
Hands	When using large quantities or where heavy contamination is likely, wear PVC or rubber gloves.
Body	When using large quantities or where heavy contamination is likely, wear coveralls.
Respiratory	Not required under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	COLOURED LIQUID
Odour	SLIGHT ODOUR
Flammability	CLASS C2 COMBUSTIBLE
Flash point	> 490°C
Boiling point	100°C (Approximately)
Melting point	NOT AVAILABLE
Evaporation rate	NOT AVAILABLE
pH	9 to 9.4
Vapour density	NOT AVAILABLE
Specific gravity	1.05
Solubility (water)	INSOLUBLE
Vapour pressure	NOT AVAILABLE
Upper explosion limit	NOT AVAILABLE
Lower explosion limit	NOT AVAILABLE
Partition coefficient	NOT AVAILABLE
Autoignition temperature	NOT AVAILABLE
Decomposition temperature	NOT AVAILABLE
Viscosity	NOT AVAILABLE
Explosive properties	NOT AVAILABLE
Oxidising properties	NOT AVAILABLE
Odour threshold	NOT AVAILABLE

9.2 Other information

% Volatiles	NOT AVAILABLE
--------------------	---------------

10. STABILITY AND REACTIVITY

PRODUCT NAME MONT MARTE ACRYLIC MEDIUM - GLOSS

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization will not occur.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Incompatible with oxidising agents (eg. hypochlorites) and acids (eg. nitric acid).

10.6 Hazardous decomposition products

May evolve toxic gases (carbon/ nitrogen oxides, ammonia, hydrocarbons) when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Health hazard summary	Low toxicity. Use safe work practices to avoid eye or skin contact and inhalation. Due to the low vapour pressure of this product, an inhalation hazard is not anticipated with normal use.																																						
Eye	Low to moderate irritant. Contact may result in irritation, lacrimation, pain and redness.																																						
Inhalation	Low irritant. Over exposure may result in irritation of the nose and throat, with coughing. Due to the low vapour pressure, an inhalation hazard is not anticipated with normal use.																																						
Skin	Low irritant. Prolonged or repeated contact may result in mild irritation, rash and dermatitis.																																						
Ingestion	Low toxicity. Ingestion may result in gastrointestinal irritation, nausea, vomiting, headache and diarrhoea.																																						
Toxicity data	<table><tr><td>ISOTHIAZOLINONE CHLORIDE (55965-84-9)</td><td></td></tr><tr><td>LD50 (ingestion)</td><td>53 mg/kg (rat)</td></tr><tr><td>POLYACRYLIC ACID (9003-01-4)</td><td></td></tr><tr><td>LD50 (ingestion)</td><td>2000 mg/kg (guinea pig)</td></tr><tr><td>LD50 (intraperitoneal)</td><td>39 mg/kg (mouse)</td></tr><tr><td>LD50 (intravenous)</td><td>70 mg/kg (mouse)</td></tr><tr><td>2,2,4-TRIMETHYL-1,3-PENTANEDIOL MONOISOBUTYRATE (25265-77-4)</td><td></td></tr><tr><td>LCLo (inhalation)</td><td>> 3500 mg/m³/6 hours (rat)</td></tr><tr><td>LD50 (ingestion)</td><td>3200 mg/kg (mouse & rat)</td></tr><tr><td>LDLo (skin)</td><td>> 20 mL/kg (guinea pig)</td></tr><tr><td>PROPYLENE GLYCOL (PROPANE-1,2-DIOL) (57-55-6)</td><td></td></tr><tr><td>LD50 (ingestion)</td><td>> 2080 mg/kg (quail)</td></tr><tr><td>LD50 (intraperitoneal)</td><td>6660 mg/kg</td></tr><tr><td>LD50 (intravenous)</td><td>2600 mg/kg (dog)</td></tr><tr><td>LD50 (skin)</td><td>20800 mg/kg (rabbit)</td></tr><tr><td>LD50 (subcutaneous)</td><td>17370 mg/kg (mouse)</td></tr><tr><td>LDLo (intramuscular)</td><td>6300 mg/kg (rabbit)</td></tr><tr><td>LDLo (subcutaneous)</td><td>15500 mg/kg (guinea pig)</td></tr><tr><td>TDLo (ingestion)</td><td>79 g/kg/56 weeks intermittently (child)</td></tr></table>	ISOTHIAZOLINONE CHLORIDE (55965-84-9)		LD50 (ingestion)	53 mg/kg (rat)	POLYACRYLIC ACID (9003-01-4)		LD50 (ingestion)	2000 mg/kg (guinea pig)	LD50 (intraperitoneal)	39 mg/kg (mouse)	LD50 (intravenous)	70 mg/kg (mouse)	2,2,4-TRIMETHYL-1,3-PENTANEDIOL MONOISOBUTYRATE (25265-77-4)		LCLo (inhalation)	> 3500 mg/m ³ /6 hours (rat)	LD50 (ingestion)	3200 mg/kg (mouse & rat)	LDLo (skin)	> 20 mL/kg (guinea pig)	PROPYLENE GLYCOL (PROPANE-1,2-DIOL) (57-55-6)		LD50 (ingestion)	> 2080 mg/kg (quail)	LD50 (intraperitoneal)	6660 mg/kg	LD50 (intravenous)	2600 mg/kg (dog)	LD50 (skin)	20800 mg/kg (rabbit)	LD50 (subcutaneous)	17370 mg/kg (mouse)	LDLo (intramuscular)	6300 mg/kg (rabbit)	LDLo (subcutaneous)	15500 mg/kg (guinea pig)	TDLo (ingestion)	79 g/kg/56 weeks intermittently (child)
ISOTHIAZOLINONE CHLORIDE (55965-84-9)																																							
LD50 (ingestion)	53 mg/kg (rat)																																						
POLYACRYLIC ACID (9003-01-4)																																							
LD50 (ingestion)	2000 mg/kg (guinea pig)																																						
LD50 (intraperitoneal)	39 mg/kg (mouse)																																						
LD50 (intravenous)	70 mg/kg (mouse)																																						
2,2,4-TRIMETHYL-1,3-PENTANEDIOL MONOISOBUTYRATE (25265-77-4)																																							
LCLo (inhalation)	> 3500 mg/m ³ /6 hours (rat)																																						
LD50 (ingestion)	3200 mg/kg (mouse & rat)																																						
LDLo (skin)	> 20 mL/kg (guinea pig)																																						
PROPYLENE GLYCOL (PROPANE-1,2-DIOL) (57-55-6)																																							
LD50 (ingestion)	> 2080 mg/kg (quail)																																						
LD50 (intraperitoneal)	6660 mg/kg																																						
LD50 (intravenous)	2600 mg/kg (dog)																																						
LD50 (skin)	20800 mg/kg (rabbit)																																						
LD50 (subcutaneous)	17370 mg/kg (mouse)																																						
LDLo (intramuscular)	6300 mg/kg (rabbit)																																						
LDLo (subcutaneous)	15500 mg/kg (guinea pig)																																						
TDLo (ingestion)	79 g/kg/56 weeks intermittently (child)																																						

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No information provided.

12.2 Persistence and degradability

No information provided.

12.3 Bioaccumulative potential

No information provided.

PRODUCT NAME MONT MARTE ACRYLIC MEDIUM - GLOSS**12.4 Mobility in soil**

No information provided.

12.5 Other adverse effects

No information provided.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal For small amounts absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Contact the manufacturer for additional information if larger amounts are involved.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None Allocated	None Allocated	None Allocated
14.2 Proper Shipping Name	None Allocated	None Allocated	None Allocated
14.3 Transport hazard class	None Allocated	None Allocated	None Allocated
14.4 Packing Group	None Allocated	None Allocated	None Allocated

14.5 Environmental hazards No information provided

14.6 Special precautions for user

Hazchem code None Allocated

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.

The classifications and phrases listed below are based on the Approved Criteria for Classifying Hazardous Substances [NOHSC: 1008(2004)].

Hazard codes None allocated.

Risk phrases None allocated.

Safety phrases None allocated.

Inventory listing(s) **AUSTRALIA: AICS (Australian Inventory of Chemical Substances)**
All components are listed on AICS, or are exempt.

16. OTHER INFORMATION

Additional information ACRYLIC - WATER BASED COMPOUNDS: It should be noted that most water based paints and acrylic or thermoplastic resins may contain small percentage of solvents, usually less than 5%. The solvent is used as a dispersion agent for the resin of choice. This solvent component may present potential respiratory hazards only in poorly ventilated areas or when sprayed. Those individuals with existing skin disorders should avoid direct contact.

PRODUCT NAME MONT MARTE ACRYLIC MEDIUM - GLOSS

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds
CNS	Central Nervous System
EC No.	EC No - European Community Number
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
LC50	Lethal Concentration, 50% / Median Lethal Concentration
LD50	Lethal Dose, 50% / Median Lethal Dose
mg/m ³	Milligrams per Cubic Metre
OEL	Occupational Exposure Limit
PEL	Permissible Exposure Limit
pH	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
ppm	Parts Per Million
REACH	Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
STEL	Short-Term Exposure Limit
STOT-RE	Specific target organ toxicity (repeated exposure)
STOT-SE	Specific target organ toxicity (single exposure)
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
SWA	Safe Work Australia
TLV	Threshold Limit Value
TWA	Time Weighted Average

Revision history

Revision	Description
4.0	Conversion to GHS requirements. Modified supplier address.
3.0	Standard SDS Review
2.4	Standard SDS Review
2.3	Standard SDS Review
2.2	Standard SDS Review
2.1	Standard SDS Review
2.0	Standard SDS Review
1.0	Initial SDS creation

PRODUCT NAME MONT MARTE ACRYLIC MEDIUM - GLOSS

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies
5 Ventnor Ave, West Perth
Western Australia 6005
Phone: +61 8 9322 1711
Fax: +61 8 9322 1794
Email: info@rmt.com.au
Web: www.rmt.com.au.

Revision: 4

SDS date: 24 April 2014

[End of SDS]