

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name MONT MARTE SILVER SERIES ACRYLICS (ALL COLOURS EXCEPT LAMP BLACK, RAW UMBER AND SILVER)

Synonym(s) BURNT SIENNA, BURNT UMBER, PAYNES GREY, GOLD • CADMIUM YELLOW, ORANGE YELLOW, PINK, VERMILION • COBALT BLUE, ULTRAMARINE BLUE, PHTHALOCYANINE BLUE, PURPLE • SCARLET, ROSE MADDER, LIGHT GREEN, MID GREEN • TITANIUM WHITE, CHINESE WHITE • VIRIDIAN, HOOKER'S GREEN, CERULEAN BLUE • YELLOW PINK, LEMON YELLOW, YELLOW OCHRE

1.2 Uses and uses advised against

Use(s) ARTIST PAINT

1.3 Details of the supplier of the product

Supplier name MONT MARTE INTERNATIONAL PTY LTD

Address 27A Pentex Street, Salisbury, QLD, 4107, AUSTRALIA

Telephone (07) 3255 5406

Fax (07) 3255 5409

Website <http://www.montmarte.net/>

1.4 Emergency telephone number(s)

Emergency 13 11 26

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

2.2 Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

2.3 Other hazards

No information provided.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

| Ingredient | Identification | Classification | | Content |
|--------------------------|----------------------------------|---|---|----------|
| | | GHS | Risk | |
| 2-AMINO-2-METHYLPROPANOL | CAS: 124-68-5 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Chronic 3, H412 | Xi;R36/38, N;R52/53 | <2% |
| ISOTHIAZOLINONE CHLORIDE | CAS: 55965-84-9 EC: 611-341-5 | Acute Tox. 3, H301 Acute Tox. 3, H311 Skin Corr. 1B, H314 Skin Sens. 1, H317 Acute Tox. 3, H331 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 | T;R23/24/25, C;R34, Xi;R43, N;R50/53 | <0.0015% |
| POLYACRYLIC ACID | CAS: 9003-01-4 | Not Available | Not Available | <41% |
| WATER | CAS: 7732-18-5 EC: 231-791-2 | Not Available | Not Available | <35% |

PRODUCT NAME MONT MARTE SILVER SERIES ACRYLICS (ALL COLOURS EXCEPT LAMP BLACK, RAW UMBER AND SILVER)

| | | | | |
|--|----------------------------------|---------------|---------------|-----------|
| TITANIUM DIOXIDE | CAS: 13463-67-7 EC: 236-675-5 | Not Available | Not Available | <24% |
| BARIUM SULPHATE | CAS: 7727-43-7 EC: 231-784-4 | Not Available | Not Available | <17% |
| METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER | CAS: 25212-88-8 | Not Available | Not Available | <3% |
| HYDROXYETHYL CELLULOSE | CAS: 9004-62-0 EC: 618-387-5 | Not Available | Not Available | <2% |
| NON HAZARDOUS INGREDIENTS | Not Available | Not Available | Not Available | Remainder |

Ingredient Notes Titanium white, Chinese white, Yellow pink, Pink, Viridian, Cerulean blue, Cobalt blue contains Titanium dioxide.

4. FIRST AID MEASURES

4.1 Description of first aid measures

| | |
|-----------------------------|--|
| Eye | If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes. |
| Inhalation | If inhaled, remove from contaminated area. Apply artificial respiration if not breathing. |
| Skin | If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor. |
| Ingestion | For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). |
| First aid facilities | No information provided. |

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

5.2 Special hazards arising from the substance or mixture

Combustible. May evolve carbon oxides and hydrocarbons when heated to decomposition. May evolve metal oxides when heated to decomposition.

5.3 Advice for firefighters

Treat as per requirements for surrounding fires. Evacuate area and contact emergency services. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

5.4 Hazchem code

None allocated.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in Section 8 of the SDS. Clear area of all unprotected personnel. Ventilate area where possible. Contact emergency services where appropriate.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal. Eliminate all ignition sources.

PRODUCT NAME MONT MARTE SILVER SERIES ACRYLICS (ALL COLOURS EXCEPT LAMP BLACK, RAW UMBER AND SILVER)

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Store as a Class C2 Combustible Liquid (AS1940).

7.3 Specific end use(s)

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

| Ingredient | Reference | TWA | | STEL | |
|----------------------|-----------|-----|-------------------|------|-------------------|
| | | ppm | mg/m ³ | ppm | mg/m ³ |
| Barium sulphate | SWA (AUS) | -- | 10 | -- | -- |
| Titanium dioxide (a) | SWA (AUS) | -- | 10 | -- | -- |

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended.

PPE

| | |
|--------------------|--|
| Eye / Face | When using large quantities or where heavy contamination is likely, wear splash-proof goggles. |
| Hands | When using large quantities or where heavy contamination is likely, wear PVC or rubber gloves. |
| Body | When using large quantities or where heavy contamination is likely, wear coveralls. |
| Respiratory | Not required under normal conditions of use. |

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| | |
|----------------------------------|----------------------|
| Appearance | COLOURED LIQUID |
| Odour | SLIGHT ODOUR |
| Flammability | CLASS C2 COMBUSTIBLE |
| Flash point | > 490°C |
| Boiling point | 96°C to 99°C |
| Melting point | NOT AVAILABLE |
| Evaporation rate | NOT AVAILABLE |
| pH | 8.0 to 9.0 |
| Vapour density | NOT AVAILABLE |
| Specific gravity | 1.08 to 1.35 |
| Solubility (water) | INSOLUBLE |
| Vapour pressure | NOT AVAILABLE |
| Upper explosion limit | NOT AVAILABLE |
| Lower explosion limit | NOT AVAILABLE |
| Partition coefficient | NOT AVAILABLE |
| Autoignition temperature | NOT AVAILABLE |
| Decomposition temperature | NOT AVAILABLE |
| Viscosity | NOT AVAILABLE |

PRODUCT NAME MONT MARTE SILVER SERIES ACRYLICS (ALL COLOURS EXCEPT LAMP BLACK, RAW UMBER AND SILVER)

9.1 Information on basic physical and chemical properties

| | |
|----------------------|---------------|
| Explosive properties | NOT AVAILABLE |
| Oxidising properties | NOT AVAILABLE |
| Odour threshold | NOT AVAILABLE |

9.2 Other information

| | |
|-------------|---------------|
| % Volatiles | NOT AVAILABLE |
|-------------|---------------|

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Hazardous polymerization is not expected to occur.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites) and acids (e.g. nitric acid).

10.6 Hazardous decomposition products

May evolve carbon oxides and hydrocarbons when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Health hazard summary Low toxicity - low irritant. Use safe work practices to avoid eye or skin contact and inhalation. Due to the low vapour pressure of this product, an inhalation hazard is not anticipated with normal use. Titanium white, Chinese white, Yellow pink, Pink, Viridian, Cerulean blue, Cobalt blue contains titanium dioxide, however due to product form, no adverse health effects are anticipated. Titanium dioxide is classified as possibly carcinogenic to humans (IARC Group 2B).

Eye Low to moderate irritant. Contact may result in irritation, lacrimation, pain and redness.

Inhalation Low to moderate irritant. Over exposure to vapours may result in irritation of the nose and throat, with coughing. High level exposure may result in dizziness, nausea and headache. Due to the low vapour pressure, an inhalation hazard is not anticipated with normal use.

Skin Low irritant. Prolonged or repeated contact may result in mild irritation, rash and dermatitis.

Ingestion Low toxicity. Ingestion may result in gastrointestinal irritation, nausea, vomiting, headache and diarrhoea.

Toxicity data

| | |
|---------------------------------------|-------------------------|
| ISOTHIAZOLINONE CHLORIDE (55965-84-9) | |
| LD50 (ingestion) | 53 mg/kg (rat) |
| POLYACRYLIC ACID (9003-01-4) | |
| LD50 (ingestion) | 2000 mg/kg (guinea pig) |
| LD50 (intraperitoneal) | 39 mg/kg (mouse) |
| LD50 (intravenous) | 70 mg/kg (mouse) |

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No information provided.

12.2 Persistence and degradability

No information provided.

12.3 Bioaccumulative potential

No information provided.

PRODUCT NAME MONT MARTE SILVER SERIES ACRYLICS (ALL COLOURS EXCEPT LAMP BLACK, RAW UMBER AND SILVER)

12.4 Mobility in soil

No information provided.

12.5 Other adverse effects

No information provided.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal For small amounts absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Contact the manufacturer for additional information if larger amounts are involved.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

| | LAND TRANSPORT (ADG) | SEA TRANSPORT (IMDG / IMO) | AIR TRANSPORT (IATA / ICAO) |
|------------------------------------|---------------------------------|---------------------------------------|--|
| 14.1 UN Number | None Allocated | None Allocated | None Allocated |
| 14.2 Proper Shipping Name | None Allocated | None Allocated | None Allocated |
| 14.3 Transport hazard class | None Allocated | None Allocated | None Allocated |
| 14.4 Packing Group | None Allocated | None Allocated | None Allocated |

14.5 Environmental hazards No information provided

14.6 Special precautions for user

Hazchem code None Allocated

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.

The classifications and phrases listed below are based on the Approved Criteria for Classifying Hazardous Substances [NOHSC: 1008(2004)].

Hazard codes None allocated.

Risk phrases None allocated.

Safety phrases None allocated.

Inventory listing(s) **AUSTRALIA: AICS (Australian Inventory of Chemical Substances)**
All components are listed on AICS, or are exempt.

16. OTHER INFORMATION

Additional information **ACRYLIC - WATER BASED COMPOUNDS:** It should be noted that most water based paints and acrylic or thermoplastic resins may contain small percentage of solvents, usually less than 5%. The solvent is used as a dispersion agent for the resin of choice. This solvent component may present potential respiratory hazards only in poorly ventilated areas or when sprayed. Those individuals with existing skin disorders should avoid direct contact.

PRODUCT NAME MONT MARTE SILVER SERIES ACRYLICS (ALL COLOURS EXCEPT LAMP BLACK, RAW UMBER AND SILVER)

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations

| | |
|-------------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS # | Chemical Abstract Service number - used to uniquely identify chemical compounds |
| CNS | Central Nervous System |
| EC No. | EC No - European Community Number |
| GHS | Globally Harmonized System |
| IARC | International Agency for Research on Cancer |
| LC50 | Lethal Concentration, 50% / Median Lethal Concentration |
| LD50 | Lethal Dose, 50% / Median Lethal Dose |
| mg/m ³ | Milligrams per Cubic Metre |
| OEL | Occupational Exposure Limit |
| PEL | Permissible Exposure Limit |
| pH | relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). |
| ppm | Parts Per Million |
| REACH | Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals |
| STEL | Short-Term Exposure Limit |
| STOT-RE | Specific target organ toxicity (repeated exposure) |
| STOT-SE | Specific target organ toxicity (single exposure) |
| SUSMP | Standard for the Uniform Scheduling of Medicines and Poisons |
| SWA | Safe Work Australia |
| TLV | Threshold Limit Value |
| TWA | Time Weighted Average |

Revision history

| Revision | Description |
|----------|--|
| 3.1 | Standard SDS Review |
| 3.0 | Conversion to GHS requirements. Modified supplier address. |
| 2.0 | Standard SDS Review. |
| 1.0 | Initial SDS creation |

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

PRODUCT NAME MONT MARTE SILVER SERIES ACRYLICS (ALL COLOURS EXCEPT LAMP BLACK,
RAW UMBER AND SILVER)

Prepared by Risk Management Technologies
5 Ventnor Ave, West Perth
Western Australia 6005
Phone: +61 8 9322 1711
Fax: +61 8 9322 1794
Email: info@rmt.com.au
Web: www.rmt.com.au.

Revision: 3.1
SDS date: 07 October 2014

[End of SDS]