

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name MONT MARTE STUDIO ACRYLIC - 2 LTR
Synonym(s) BLACK • BRILLIANT RED • BURNT UMBER • CERULEAN BLUE • LEMON YELLOW • ORANGE • PHTHALO BLUE • SAP GREEN • STUDIO ACRYLIC 2 LTR • TITANIUM WHITE • TURQUOISE • VIOLET

1.2 Uses and uses advised against

Use(s) ARTIST PAINT

1.3 Details of the supplier of the product

Supplier name MONT MARTE INTERNATIONAL PTY LTD
Address 27A Pentex Street, Salisbury, QLD, 4107, AUSTRALIA
Telephone (07) 3255 5406
Fax (07) 3255 5409
Website <http://www.montmarte.net>

1.4 Emergency telephone number(s)

Emergency 13 11 26

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.
 No signal word, pictograms, hazard or precautionary statements have been allocated.

2.3 Other hazards

No information provided.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

| Ingredient | CAS Number | EC Number | Content |
|--|------------|-----------|-----------|
| 2-[(4-CHLORO-2-NITROPHENYL)AZO]-N-(2-CHLOROPHENYL)-3-OXOBUTYRAMIDE | 6486-23-3 | 229-355-1 | <10% |
| 2-AMINO-2-METHYLPROPANOL | 124-68-5 | - | <1% |
| MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2HISOTHIAZOL-3-ONE | 55965-84-9 | 611-341-5 | 0.0015% |
| WATER | 7732-18-5 | 231-791-2 | Remainder |
| POLYACRYLIC ACID | 9003-01-4 | - | 20 to 40% |
| CALCIUM CARBONATE | 471-34-1 | 207-439-9 | 5 to 25% |
| C.I. PIGMENT BLUE 15:4 | 147-14-8 | - | <15% |
| C.I. PIGMENT ORANGE 13 | 3520-72-7 | 222-530-3 | <15% |
| C.I. PIGMENT VIOLET 23 | 6358-30-1 | 228-767-9 | <15% |

PRODUCT NAME MONT MARTE STUDIO ACRYLIC - 2 LTR

| | | | |
|-----------------------------|------------|-----------|------|
| C.I. PIGMENT YELLOW 1 | 2512-29-0 | 219-730-8 | <15% |
| CARBON BLACK | 1333-86-4 | 215-609-9 | <15% |
| IRON HYDROXIDE OXIDE YELLOW | 51274-00-1 | 257-098-5 | <15% |
| IRON OXIDE (FE2O3) | 1309-37-1 | 215-168-2 | <15% |
| PIGMENT RED 170 | 2786-76-7 | 220-509-3 | <15% |
| TITANIUM DIOXIDE | 13463-67-7 | 236-675-5 | <15% |
| C.I. PIGMENT BLACK | 1317-61-9 | - | <5% |
| HYDROXYETHYL CELLULOSE | 9004-62-0 | 618-387-5 | <5% |
| PHTHALOCYANINE GREEN | 1328-53-6 | 215-524-7 | <5% |

4. FIRST AID MEASURES

4.1 Description of first aid measures

| | |
|-----------------------------|--|
| Eye | If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes. |
| Inhalation | If inhaled, remove from contaminated area. Apply artificial respiration if not breathing. |
| Skin | If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor. |
| Ingestion | For advice, contact a Poison Information Centre or a doctor (at once). If swallowed, do not induce vomiting. |
| First aid facilities | No information provided. |

4.2 Most important symptoms and effects, both acute and delayed

Adverse effects not expected from this product under normal conditions of use.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases if strongly heated.

5.3 Advice for firefighters

No fire or explosion hazard exists.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

If spilt, collect and reuse where possible. Alternatively, contain spillage, then collect and place in suitable containers for disposal.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

PRODUCT NAME MONT MARTE STUDIO ACRYLIC - 2 LTR

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

7.3 Specific end use(s)

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

| Ingredient | Reference | TWA | | STEL | |
|------------------------------------|--------------|-----|-------------------|------|-------------------|
| | | ppm | mg/m ³ | ppm | mg/m ³ |
| Carbon Black (lampesot) | OEL (Norway) | -- | 3.5 | -- | -- |
| Carbon black | WEL (UK) | -- | 3.5 | -- | 7 |
| Iron oxide fume (as Fe) | WEL (UK) | -- | 5 | -- | 10 |
| Iron oxide, fume (as Fe) | WEL (UK) | -- | 5 | -- | 10 |
| Jern(III)oksid (beregnet som Fe) | OEL (Norway) | -- | 3 | -- | -- |
| Rouge (respirable) | WEL (UK) | -- | 4 | -- | -- |
| Rouge (total inhalable) | WEL (UK) | -- | 10 | -- | -- |
| Titandioksid | OEL (Norway) | -- | 5 | -- | -- |
| Titanium dioxide (respirable) | WEL (UK) | -- | 4 | -- | -- |
| Titanium dioxide (total inhalable) | WEL (UK) | -- | 10 | -- | -- |

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. Maintain vapour levels below the recommended exposure standard.

PPE

| | |
|--------------------|--|
| Eye / Face | When using large quantities or where heavy contamination is likely, wear splash-proof goggles. |
| Hands | With prolonged use, wear PVC or rubber gloves. |
| Body | Not required under normal conditions of use. |
| Respiratory | Not required under normal conditions of use. |

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| | |
|---------------------------------|-----------------------|
| Appearance | LIQUID |
| Odour | ODOURLESS |
| Flammability | NON FLAMMABLE |
| Flash point | NOT RELEVANT |
| Boiling point | 100°C (Approximately) |
| Melting point | < 0°C |
| Evaporation rate | NOT AVAILABLE |
| pH | 6 to 7 |
| Vapour density | NOT AVAILABLE |
| Specific gravity | 1.20 to 1.35 |
| Solubility (water) | INSOLUBLE |
| Vapour pressure | NOT AVAILABLE |
| Upper explosion limit | NOT RELEVANT |
| Lower explosion limit | NOT RELEVANT |
| Partition coefficient | NOT AVAILABLE |
| Autoignition temperature | NOT AVAILABLE |

9.1 Information on basic physical and chemical properties

| | |
|----------------------------------|---------------|
| Decomposition temperature | NOT AVAILABLE |
| Viscosity | NOT AVAILABLE |
| Explosive properties | NOT AVAILABLE |
| Oxidising properties | NOT AVAILABLE |
| Odour threshold | NOT AVAILABLE |

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

10.4 Conditions to avoid

Avoid contact with incompatible substances.

10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid) and alkalis (e.g. sodium hydroxide).

10.6 Hazardous decomposition products

May evolve toxic gases if heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Information available for the product:

No known toxicity data is available for this product. Based on available data, the classification criteria are not met.

Information available for the ingredient(s):

| Ingredient | Oral Toxicity (LD50) | Dermal Toxicity (LD50) | Inhalation Toxicity (LC50) |
|--|-------------------------|------------------------|-------------------------------------|
| POLYACRYLIC ACID | 2000 mg/kg (guinea pig) | -- | -- |
| CALCIUM CARBONATE | 6450 mg/kg (rat) | -- | -- |
| C.I. PIGMENT ORANGE 13 | > 5 g/kg (rat) | -- | -- |
| CARBON BLACK | > 8000 mg/kg (rat) | -- | -- |
| IRON OXIDE (FE2O3) | > 5000 mg/kg (rat) | -- | > 210 mg/m ³ /2wks (rat) |
| MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2HISOTHIAZOL-3-ONE | 53 mg/kg (rat) | -- | -- |

| | |
|---------------------------------|---|
| Skin | Not classified as a skin irritant. Contact may result in mild irritation. |
| Eye | Not classified as an eye irritant. Contact may cause discomfort, lacrimation and redness. |
| Sensitization | Not classified as causing skin or respiratory sensitisation. |
| Mutagenicity | No evidence of mutagenic effects. |
| Carcinogenicity | No evidence of carcinogenic effects. |
| Reproductive | No relevant or reliable studies were identified. |
| STOT – single exposure | Not classified as causing organ damage from single exposure. |
| STOT – repeated exposure | Not classified as causing organ damage from repeated exposure. |
| Aspiration | This product does not present an aspiration hazard. |

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No information provided.

12.2 Persistence and degradability

No information provided.

12.3 Bioaccumulative potential

No information provided.

12.4 Mobility in soil

No information provided.

12.5 Results of PBT and vPvB assessment

No information provided.

12.6 Other adverse effects

No information provided.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal For small amounts, absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Contact the manufacturer/supplier for additional information if disposing of large quantities (if required).
Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF ADR, IMDG OR IATA

| | LAND TRANSPORT (ADR / RID) | SEA TRANSPORT (IMDG / IMO) | AIR TRANSPORT (IATA / ICAO) |
|-----------------------------|-------------------------------|-------------------------------|--------------------------------|
| 14.1 UN Number | None Allocated | None Allocated | None Allocated |
| 14.2 Proper Shipping Name | None Allocated | None Allocated | None Allocated |
| 14.3 Transport hazard class | None Allocated | None Allocated | None Allocated |
| 14.4 Packing Group | None Allocated | None Allocated | None Allocated |

14.5 Environmental hazards No information provided

14.6 Special precautions for user

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC.

Classifications None allocated.

Risk phrases None allocated

Safety phrases None allocated

Inventory listing(s) **AUSTRALIA: AICS (Australian Inventory of Chemical Substances)**
All components are listed on AICS, or are exempt.
EUROPE: EINECS (European Inventory of Existing Chemical Substances)
All components are listed on EINECS, or are exempt.

15.2 Chemical safety assessment

No information provided.

16. OTHER INFORMATION

PRODUCT NAME MONT MARTE STUDIO ACRYLIC - 2 LTR

Additional information

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations

| | |
|-------------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS # | Chemical Abstract Service number - used to uniquely identify chemical compounds |
| CNS | Central Nervous System |
| DNEL | Derived No Effect Level |
| EC No. | EC No - European Community Number |
| EMS | Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods) |
| GHS | Globally Harmonized System |
| IARC | International Agency for Research on Cancer |
| LC50 | Lethal Concentration, 50% / Median Lethal Concentration |
| LD50 | Lethal Dose, 50% / Median Lethal Dose |
| mg/m ³ | Milligrams per Cubic Metre |
| OEL | Occupational Exposure Limit |
| PBT | Persistent, bioaccumulative, toxic |
| pH | relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). |
| PNEC | Predicted No Effect Concentration |
| ppm | Parts Per Million |
| REACH | Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals |
| STEL | Short-Term Exposure Limit |
| STOT-RE | Specific target organ toxicity (repeated exposure) |
| STOT-SE | Specific target organ toxicity (single exposure) |
| TLV | Threshold Limit Value |
| TWA | Time Weighted Average |
| vPvB | Very Persistent and Very Bioaccumulative |

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies
5 Ventnor Ave, West Perth
Western Australia 6005
Phone: +61 8 9322 1711
Fax: +61 8 9322 1794
Email: info@rmt.com.au
Web: www.rmt.com.au.

Prepared in accordance with: Annex II of the REACH Regulation (EC) 1907/2006; (CLP) Regulation (EC) 1272/2008; and Regulation (EC) 453/2010 (Amendments to (EC) 1272/2008).

[End of SDS]