

# **SAFETY DATA SHEET**

#### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name MONT MARTE STUDIO ACRYLIC PAINT - 36ML & 75ML

Synonym(s) BURNT SIENNA (MSCH7514) ● BURNT UMBER (MSCH7527) ● CERULEAN BLUE (MSCH7517) ●

CRIMSON (MSCH7511) • DEEP CYAN BLUE (MSCH7518) • EMERALD GREEN (MSCH7521) • LAMP BLACK (MSCH7532) • LEMON YELLOW (MSCH7502) • MSCH1836 • ORANGE YELLOW (MSCH7507) • PHTHALO BLUE (MSCH7520) • RAW SIENNA (MSCH7506) • SAP GREEN (MSCH7526) • SCARLET (MSCH7510) • TITANIUM WHITE (MSCH7501) • VAN DYKE BROWN (MSCH7529) • VERMILLION

(MSCH7509) • VIRIDIAN (MSCH7525) • YELLOW OCHRE (MSCH7505)

1.2 Uses and uses advised against

Use(s) ARTIST PAINT ● PAINT

1.3 Details of the supplier of the product

Supplier name MONT MARTE INTERNATIONAL PTY LTD

Address 27A Pentex Street, Salisbury, QLD, 4107, AUSTRALIA

**Telephone** (07) 3255 5406 **Fax** (07) 3255 5409

Website <a href="http://www.montmarte.net">http://www.montmarte.net</a>

1.4 Emergency telephone number(s)

Emergency 13 11 26

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

## 2.2 Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

#### 2.3 Other hazards

No information provided.

## 3. COMPOSITION/ INFORMATION ON INGREDIENTS

#### 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
PIGMENT(S)	-	-	<30%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder
WATER	7732-18-5	231-791-2	<60%
ACRYLIC RESIN	-	-	<30%

# 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

Page 1 of 6

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

ChemAlert.

SDS Date: 01 Mar 2017

#### PRODUCT NAME MONT MARTE STUDIO ACRYLIC PAINT - 36ML & 75ML

**Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

**Ingestion** For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once).

First aid facilities None allocated.

# 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

## 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

#### 5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve carbon oxides and hydrocarbons when heated to decomposition.

### 5.3 Advice for firefighters

Treat as per requirements for surrounding fires. Evacuate area and contact emergency services. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

#### 5.4 Hazchem code

None allocated.

## 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Ventilate area where possible. Contact emergency services where appropriate.

## 6.2 Environmental precautions

Prevent product from entering drains and waterways.

### 6.3 Methods of cleaning up

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal. Eliminate all sources of ignition.

#### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

# 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

Page 2 of 6

# 7.3 Specific end use(s)

No information provided.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1 Control parameters

#### **Exposure standards**

No exposure standards have been entered for this product.



SDS Date: 01 Mar 2017 Version No: 1

#### PRODUCT NAME MONT MARTE STUDIO ACRYLIC PAINT - 36ML & 75ML

#### **Biological limits**

No biological limit values have been entered for this product.

## 8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction

ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

**PPE** 

**Eye / Face** When using large quantities or where heavy contamination is likely, wear splash-proof goggles. **Hands** When using large quantities or where heavy contamination is likely, wear PVC or rubber gloves.

**Body** When using large quantities or where heavy contamination is likely, wear coveralls.

**Respiratory** Not required under normal conditions of use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

**Appearance COLOURED PASTE ODOURLESS** Odour **Flammability** NON FLAMMABLE Flash point **NOT RELEVANT Boiling point** NOT AVAILABLE **Melting point NOT AVAILABLE Evaporation rate NOT AVAILABLE** рΗ 8.0 to 9.0

Vapour density NOT AVAILABLE
Specific gravity 1.05 to 1.30

Solubility (water) INSOLUBLE ONCE DRY **NOT AVAILABLE** Vapour pressure **Upper explosion limit NOT RELEVANT** Lower explosion limit **NOT RELEVANT Partition coefficient NOT AVAILABLE NOT AVAILABLE Autoignition temperature Decomposition temperature NOT AVAILABLE Viscosity NOT AVAILABLE NOT AVAILABLE Explosive properties** 

Oxidising properties NOT AVAILABLE
Odour threshold NOT AVAILABLE

# 10. STABILITY AND REACTIVITY

# 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

# 10.2 Chemical stability

Stable under recommended conditions of storage.

# 10.3 Possibility of hazardous reactions

Hazardous polymerization is not expected to occur.

## 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

## 10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites) and acids (e.g. nitric acid).

Page 3 of 6

## 10.6 Hazardous decomposition products

May evolve carbon oxides and hydrocarbons when heated to decomposition.

# 11. TOXICOLOGICAL INFORMATION



SDS Date: 01 Mar 2017

#### PRODUCT NAME **MONT MARTE STUDIO ACRYLIC PAINT - 36ML & 75ML**

#### 11.1 Information on toxicological effects

This product is expected to be of low toxicity. Based on available data, the classification criteria are not met. **Acute toxicity** 

Skin Not classified as a skin irritant. Prolonged or repeated contact may result in mild irritation, rash and

dermatitis.

Not classified as an eye irritant. Contact may result in mild irritation, lacrimation and redness. Eve

Not classified as causing skin or respiratory sensitisation. Sensitisation

Mutagenicity Not classified as a mutagen.

Carcinogenicity Not classified as a carcinogen. Carbon black and Titanium dioxide are classified as possibly carcinogenic to

humans (IARC Group 2B).

Reproductive Not classified as a reproductive toxin.

STOT - single Not classified as causing organ damage from single exposure. However, high level exposure may result in

dizziness, nausea and headache. exposure

STOT - repeated

Not classified as causing organ damage from repeated exposure.

exposure

**Aspiration** Not classified as causing aspiration.

## 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

No information provided.

## 12.2 Persistence and degradability

No information provided.

## 12.3 Bioaccumulative potential

No information provided.

#### 12.4 Mobility in soil

No information provided.

## 12.5 Other adverse effects

No information provided.

# 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Waste disposal For small amounts, absorb with sand, vermiculite or similar and dispose of to an approved landfill site.

Contact the manufacturer/supplier for additional information if disposing of large quantities (if required).

Legislation Dispose of in accordance with relevant local legislation.

# 14. TRANSPORT INFORMATION

# NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

#### 14.5 Environmental hazards

No information provided.

## 14.6 Special precautions for user

None allocated. Hazchem code



SDS Date: 01 Mar 2017 Version No: 1

Page 4 of 6

## 15. REGULATORY INFORMATION

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals.

The classifications and phrases listed below are based on the Approved Criteria for Classifying Hazardous

Substances [NOHSC: 1008(2004)].

Hazard codesNone allocated.Risk phrasesNone allocated.Safety phrasesNone allocated.

Inventory listing(s) AUSTRALIA: AICS (Australian Inventory of Chemical Substances)

All components are listed on AICS, or are exempt.

# 16. OTHER INFORMATION

#### Additional information

ACRYLIC - WATER BASED COMPOUNDS: It should be noted that most water based paints and acrylic or thermoplastic resins may contain small percentage of solvents, usually less than 5%. The solvent is used as a dispersion agent for the resin of choice. This solvent component may present potential respiratory hazards only in poorly ventilated areas or when sprayed. Those individuals with existing skin disorders should avoid direct contact.

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

#### **HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



SDS Date: 01 Mar 2017 Version No: 1

Page 5 of 6

#### PRODUCT NAME MONT MARTE STUDIO ACRYLIC PAINT - 36ML & 75ML

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide
IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

## Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

#### Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmt.com.au

[ End of SDS ]

Page 6 of 6



SDS Date: 01 Mar 2017