

## SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

<b>Product name</b>	<b>MONT MARTE WATER MIXABLE OIL PAINT</b>
<b>Synonym(s)</b>	BURNT SIENNA • BURNT UMBER • CADMIUM RED • CARMINE • CERULEAN BLUE • COBALT BLUE • FLESH • H2O OIL PAINT WATER MIXABLE • IVORY BLACK • LEMON YELLOW • LIGHT GREEN • MAGENTA • MARS BLACK • MAUVE • NAPLES YELLOW • NEUTRAL GREY • OLIVE GREEN • ORANGE • PAYNE'S GREY • PERMANENT CRIMSON • PERMANENT RED • PERMANENT ROSE • PHTHALO BLUE • PHTHALO GREEN • PRUSSIAN BLUE • PURPLE • RAW SIENNA • RAW UMBER • RED OCHRE • SAP GREEN • SKY BLUE • TITANIUM WHITE • TRANSPARENT BLUE • TRANSPARENT BROWN • TRANSPARENT GREEN • TRANSPARENT PURPLE • TRANSPARENT RED • TRANSPARENT YELLOW • TURQUOISE • ULTRAMARINE BLUE • ULTRAMARINE VIOLET HUE • VAN DYKE BROWN • VERMILLION • VIRIDIAN • YELLOW DEEP • YELLOW GREEN • YELLOW MID • YELLOW OCHRE • ZINC WHITE

#### 1.2 Uses and uses advised against

<b>Use(s)</b>	ARTIST PAINT • ARTIST PAINTING
---------------	--------------------------------

#### 1.3 Details of the supplier of the product

<b>Supplier name</b>	<b>MONT MARTE INTERNATIONAL PTY LTD</b>
<b>Address</b>	27A Pentex Street, Salisbury, QLD, 4107, AUSTRALIA
<b>Telephone</b>	(07) 3255 5406
<b>Fax</b>	(07) 3255 5409
<b>Website</b>	<a href="http://www.montmarte.net">http://www.montmarte.net</a>

#### 1.4 Emergency telephone number(s)

<b>Emergency</b>	13 11 26
------------------	----------

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### 2.2 Label elements

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

No signal word, pictograms, hazard or precautionary statements have been allocated.

#### 2.3 Other hazards

No information provided.

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

#### 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
BARIUM ZINC SULPHATE SULPHIDE	1345-05-7	215-715-5	<20%
ZINC OXIDE	1314-13-2	215-222-5	<6.5%
2-AMINO-2-METHYLPROPANOL	124-68-5	-	<1%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder
BARIUM SULPHATE	7727-43-7	231-784-4	<55%
LINSEED OIL	8001-26-1	232-278-6	<45%

**PRODUCT NAME MONT MARTE WATER MIXABLE OIL PAINT**

TITANIUM DIOXIDE	13463-67-7	236-675-5	<21%
CARBON BLACK	1333-86-4	215-609-9	<17%
PIGMENT(S)	-	-	<10%
ALUMINIUM HYDROXIDE	21645-51-2	244-492-7	<5%

---

**4. FIRST AID MEASURES**

---

**4.1 Description of first aid measures**

<b>Eye</b>	If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.
<b>Inhalation</b>	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.
<b>Skin</b>	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.
<b>Ingestion</b>	For advice, contact a Poison Information Centre or a doctor (at once).
<b>First aid facilities</b>	Eye wash facilities should be available.

**4.2 Most important symptoms and effects, both acute and delayed**

Adverse effects not expected from this product under normal conditions of use.

**4.3 Immediate medical attention and special treatment needed**

Treat symptomatically.

---

**5. FIRE FIGHTING MEASURES**

---

**5.1 Extinguishing media**

Dry agent, carbon dioxide or foam. Prevent contamination of drains and waterways.

**5.2 Special hazards arising from the substance or mixture**

Combustible. May evolve carbon oxides and hydrocarbons when heated to decomposition.

**5.3 Advice for firefighters**

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

---

**6. ACCIDENTAL RELEASE MEASURES**

---

**6.1 Personal precautions, protective equipment and emergency procedures**

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

**6.2 Environmental precautions**

Prevent product from entering drains and waterways.

**6.3 Methods of cleaning up**

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

**6.4 Reference to other sections**

See Sections 8 and 13 for exposure controls and disposal.

---

**7. HANDLING AND STORAGE**

---

**7.1 Precautions for safe handling**

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

## PRODUCT NAME MONT MARTE WATER MIXABLE OIL PAINT

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Large storage areas should have appropriate ventilation systems.

### 7.3 Specific end use(s)

No information provided.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

#### Exposure standards

Ingredient	Reference	TWA		STEL	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Barium sulphate (inhalable dust)	WEL (UK)	--	10	--	--
Barium sulphate (respirable dust)	WEL (UK)	--	4	--	--
Carbon Black (lampesot)	OEL (Norway)	--	3.5	--	--
Carbon black	WEL (UK)	--	3.5	--	7
Sinkoksid	OEL (Norway)	--	5	--	--
Titandioksid	OEL (Norway)	--	5	--	--
Titanium dioxide (respirable)	WEL (UK)	--	4	--	--
Titanium dioxide (total inhalable)	WEL (UK)	--	10	--	--

#### Biological limits

No biological limit values have been entered for this product.

### 8.2 Exposure controls

**Engineering controls** Avoid inhalation. Use in well ventilated areas.

#### PPE

<b>Eye / Face</b>	When using large quantities or where heavy contamination is likely, wear splash-proof goggles.
<b>Hands</b>	When using large quantities or where heavy contamination is likely, wear PVC or rubber gloves.
<b>Body</b>	Not required under normal conditions of use.
<b>Respiratory</b>	Not required under normal conditions of use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>Appearance</b>	COLOURED PASTE
<b>Odour</b>	ODOURLESS
<b>Flammability</b>	CLASS C2 COMBUSTIBLE
<b>Flash point</b>	> 525°C
<b>Boiling point</b>	NOT AVAILABLE
<b>Melting point</b>	NOT AVAILABLE
<b>Evaporation rate</b>	NOT AVAILABLE
<b>pH</b>	6.0 to 7.0
<b>Vapour density</b>	NOT AVAILABLE
<b>Specific gravity</b>	NOT AVAILABLE
<b>Solubility (water)</b>	INSOLUBLE
<b>Vapour pressure</b>	NOT AVAILABLE
<b>Upper explosion limit</b>	NOT AVAILABLE
<b>Lower explosion limit</b>	NOT AVAILABLE
<b>Partition coefficient</b>	NOT AVAILABLE
<b>Autoignition temperature</b>	NOT AVAILABLE
<b>Decomposition temperature</b>	NOT AVAILABLE
<b>Viscosity</b>	NOT AVAILABLE
<b>Explosive properties</b>	NOT AVAILABLE
<b>Oxidising properties</b>	NOT AVAILABLE
<b>Odour threshold</b>	NOT AVAILABLE

### 9.2 Other information

**9.2 Other information**

Relative density 1.50 to 2.10

---

**10. STABILITY AND REACTIVITY**

---

**10.1 Reactivity**

Carefully review all information provided in sections 10.2 to 10.6.

**10.2 Chemical stability**

Stable under recommended conditions of storage.

**10.3 Possibility of hazardous reactions**

Polymerization is not expected to occur.

**10.4 Conditions to avoid**

Avoid heat, sparks, open flames and other ignition sources.

**10.5 Incompatible materials**

Incompatible with oxidising agents (e.g. hypochlorites) and acids (e.g. nitric acid).

**10.6 Hazardous decomposition products**

May evolve carbon oxides and hydrocarbons when heated to decomposition.

---

**11. TOXICOLOGICAL INFORMATION**

---

**11.1 Information on toxicological effects****Acute toxicity****Information available for the product:**

This product is expected to be of low acute toxicity. Under normal conditions of use, adverse health effects are not anticipated.

**Information available for the ingredient(s):**

Ingredient	Oral Toxicity (LD50)	Dermal Toxicity (LD50)	Inhalation Toxicity (LC50)
CARBON BLACK	> 8000 mg/kg (rat)	--	--
ZINC OXIDE	7950 mg/kg (mouse)	--	2500 mg/m <sup>3</sup> (mouse)
ALUMINIUM HYDROXIDE	> 5000 mg/kg (rat)	--	--

**Skin**

Not classified as a skin irritant.

**Eye**

Not classified as an eye irritant.

**Sensitization**

Not classified as causing skin or respiratory sensitisation.

**Mutagenicity**

No evidence of mutagenic effects.

**Carcinogenicity**

Some colours contain carbon black and/or titanium dioxide. Carbon black and titanium dioxide are classified as possibly carcinogenic to humans (IARC Group 2B). However, due to product form, no adverse health effects are anticipated.

**Reproductive**

No relevant or reliable studies were identified.

**STOT – single exposure**

No known effects from this product.

**STOT – repeated exposure**

No known effects from this product. Under normal conditions of use, adverse health effects are not anticipated.

**Aspiration**

Not relevant.

---

**12. ECOLOGICAL INFORMATION**

---

**12.1 Toxicity**

No information provided.

**12.2 Persistence and degradability**

No information provided.

**12.3 Bioaccumulative potential**

No information provided.

**12.4 Mobility in soil**

No information provided.

**12.5 Results of PBT and vPvB assessment**

No information provided.

**12.6 Other adverse effects**

No information provided.

---

**13. DISPOSAL CONSIDERATIONS**

---

**13.1 Waste treatment methods****Waste disposal** For small amounts, absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Contact the manufacturer/supplier for additional information if disposing of large quantities (if required).**Legislation** Dispose of in accordance with relevant local legislation.

---

**14. TRANSPORT INFORMATION**

---

**NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF ADR, IMDG OR IATA**

	<b>LAND TRANSPORT (ADR / RID)</b>	<b>SEA TRANSPORT (IMDG / IMO)</b>	<b>AIR TRANSPORT (IATA / ICAO)</b>
<b>14.1 UN Number</b>	None Allocated	None Allocated	None Allocated
<b>14.2 Proper Shipping Name</b>	None Allocated	None Allocated	None Allocated
<b>14.3 Transport hazard class</b>	None Allocated	None Allocated	None Allocated
<b>14.4 Packing Group</b>	None Allocated	None Allocated	None Allocated

**14.5 Environmental hazards** No information provided**14.6 Special precautions for user**

---

**15. REGULATORY INFORMATION**

---

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC.

**Classifications** None allocated.**Risk phrases** None allocated**Safety phrases** None allocated**Inventory listing(s)** **AUSTRALIA: AICS (Australian Inventory of Chemical Substances)**  
All components are listed on AICS, or are exempt.  
**EUROPE: EINECS (European Inventory of Existing Chemical Substances)**  
All components are listed on EINECS, or are exempt.**15.2 Chemical safety assessment**

No information provided.

---

**16. OTHER INFORMATION**

---

**Additional information** EXPOSURE STANDARDS - TIME WEIGHTED AVERAGES: Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: Strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

## PRODUCT NAME MONT MARTE WATER MIXABLE OIL PAINT

### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

### HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

### Abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds
CNS	Central Nervous System
DNEL	Derived No Effect Level
EC No.	EC No - European Community Number
EMS	Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
LC50	Lethal Concentration, 50% / Median Lethal Concentration
LD50	Lethal Dose, 50% / Median Lethal Dose
mg/m <sup>3</sup>	Milligrams per Cubic Metre
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative, toxic
pH	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
PNEC	Predicted No Effect Concentration
ppm	Parts Per Million
REACH	Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
STEL	Short-Term Exposure Limit
STOT-RE	Specific target organ toxicity (repeated exposure)
STOT-SE	Specific target organ toxicity (single exposure)
TLV	Threshold Limit Value
TWA	Time Weighted Average
vPvB	Very Persistent and Very Bioaccumulative

### Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

### Prepared by

Risk Management Technologies  
5 Ventnor Ave, West Perth  
Western Australia 6005  
Phone: +61 8 9322 1711  
Fax: +61 8 9322 1794  
Email: info@rmt.com.au  
Web: www.rmt.com.au.

Prepared in accordance with: Annex II of the REACH Regulation (EC) 1907/2006; (CLP) Regulation (EC) 1272/2008; and Regulation (EC) 453/2010 (Amendments to (EC) 1272/2008).

[ End of SDS ]