

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name MONT MARTE KIDS COLOUR CRAYONS
Synonym(s) BLACK

1.2 Uses and uses advised against

Use(s) DRAWING

1.3 Details of the supplier of the product

Supplier name MONT MARTE INTERNATIONAL PTY LTD
Address 27A Pentex Street, Salisbury, QLD, 4107, AUSTRALIA
Telephone (07) 3255 5406
Fax (07) 3255 5409
Website <http://www.montmarte.net.au>

1.4 Emergency telephone number(s)

Emergency 13 11 26

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

2.2 Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

2.3 Other hazards

No information provided.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	Identification	Classification		Content
		GHS	Risk	
PARAFFIN WAX	CAS: 8002-74-2 EC: 232-315-6	Not Available	Not Available	53%
TALC	CAS: 14807-96-6 EC: 238-877-9	Not Available	Not Available	23%
POLYETHYLENE	CAS: 9002-88-4 EC: 618-339-3	Not Available	Not Available	11.5%
STEARIC ACID	CAS: 57-11-4 EC: 200-313-4	Not Available	Not Available	11.5%
CARBON BLACK	CAS: 1333-86-4 EC: 215-609-9	Not Available	Not Available	<1%
PIGMENT(S)	Not Available	Not Available	Not Available	1%

4. FIRST AID MEASURES

PRODUCT NAME MONT MARTE KIDS COLOUR CRAYONS

4.1 Description of first aid measures

Eye	If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.
Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.
Skin	Exposure is considered unlikely. Skin irritation is not anticipated.
Ingestion	For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once).
First aid facilities	No information provided.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Dry agent, carbon dioxide or foam. Prevent contamination of drains or waterways.

5.2 Special hazards arising from the substance or mixture

Combustible. May evolve carbon oxides and hydrocarbons when heated to decomposition.

5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

5.4 Hazchem code

None allocated.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in Section 8 of this SDS.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

If spilt, collect and reuse where possible.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from moisture, incompatible substances and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

7.3 Specific end use(s)

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

Ingredient	Reference	TWA		STEL	
		ppm	mg/m ³	ppm	mg/m ³
Carbon black	SWA (AUS)	--	3	--	--
Paraffin wax (fume)	SWA (AUS)	--	2	--	--
Talc (no asbestos fibres)	SWA (AUS)	--	2.5	--	--

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas.

PPE

Eye / Face	Not required under normal conditions of use.
Hands	Not required under normal conditions of use.
Body	Not required under normal conditions of use.
Respiratory	Not required under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	COLOURED SOLID
Odour	MINERAL OIL ODOUR
Flammability	COMBUSTIBLE
Flash point	> 200°C
Boiling point	58°C
Melting point	NOT AVAILABLE
Evaporation rate	NOT AVAILABLE
pH	7 to 8
Vapour density	NOT AVAILABLE
Specific gravity	0.94
Solubility (water)	INSOLUBLE
Vapour pressure	NOT AVAILABLE
Upper explosion limit	NOT AVAILABLE
Lower explosion limit	NOT AVAILABLE
Partition coefficient	NOT AVAILABLE
Autoignition temperature	NOT AVAILABLE
Decomposition temperature	NOT AVAILABLE
Viscosity	NOT AVAILABLE
Explosive properties	NOT AVAILABLE
Oxidising properties	NOT AVAILABLE

9.2 Other information

% Volatiles	NOT AVAILABLE
--------------------	---------------

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Hazardous polymerization is not expected to occur.

PRODUCT NAME MONT MARTE KIDS COLOUR CRAYONS

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Incompatible with oxidising agents (eg. hypochlorites) and acids (eg. nitric acid).

10.6 Hazardous decomposition products

May evolve carbon oxides and hydrocarbons when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Health hazard summary	Low toxicity - low irritant. Under normal conditions of use, adverse health effects are not anticipated. This product contains Carbon black but due to product form, no adverse health effects are anticipated. Carbon black is classified as possibly carcinogenic to humans (IARC Group 2B).																				
Eye	Low irritant. Contact may result in irritation, lacrimation and redness.																				
Inhalation	Non irritant. Adverse health effects are not anticipated under normal conditions of use.																				
Skin	Non - low irritant. Prolonged or repeated contact may result in mild irritation. Some individuals may experience allergic reaction.																				
Ingestion	Low toxicity. Ingestion may result in gastrointestinal irritation, nausea and vomiting. However, due to product form ingestion is considered unlikely.																				
Toxicity data	<table><tr><td>PARAFFIN WAX (8002-74-2)</td><td></td></tr><tr><td>TDL_o (subcutaneous)</td><td>120 mg/kg (rat)</td></tr><tr><td>TALC (14807-96-6)</td><td></td></tr><tr><td>TCL_o (inhalation)</td><td>18 mg/m³/6 hour/2 year-intermittent (rat)</td></tr><tr><td>POLYETHYLENE (9002-88-4)</td><td></td></tr><tr><td>LDL_o (ingestion)</td><td>3000 mg/kg (rat)</td></tr><tr><td>STEARIC ACID (57-11-4)</td><td></td></tr><tr><td>LD50 (intravenous)</td><td>23 mg/kg (mouse)</td></tr><tr><td>LD50 (skin)</td><td>> 5 g/kg (rabbit)</td></tr><tr><td>LDL_o (ingestion)</td><td>4640 mg/kg (rat)</td></tr></table>	PARAFFIN WAX (8002-74-2)		TDL _o (subcutaneous)	120 mg/kg (rat)	TALC (14807-96-6)		TCL _o (inhalation)	18 mg/m ³ /6 hour/2 year-intermittent (rat)	POLYETHYLENE (9002-88-4)		LDL _o (ingestion)	3000 mg/kg (rat)	STEARIC ACID (57-11-4)		LD50 (intravenous)	23 mg/kg (mouse)	LD50 (skin)	> 5 g/kg (rabbit)	LDL _o (ingestion)	4640 mg/kg (rat)
PARAFFIN WAX (8002-74-2)																					
TDL _o (subcutaneous)	120 mg/kg (rat)																				
TALC (14807-96-6)																					
TCL _o (inhalation)	18 mg/m ³ /6 hour/2 year-intermittent (rat)																				
POLYETHYLENE (9002-88-4)																					
LDL _o (ingestion)	3000 mg/kg (rat)																				
STEARIC ACID (57-11-4)																					
LD50 (intravenous)	23 mg/kg (mouse)																				
LD50 (skin)	> 5 g/kg (rabbit)																				
LDL _o (ingestion)	4640 mg/kg (rat)																				

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No information provided.

12.2 Persistence and degradability

No information provided.

12.3 Bioaccumulative potential

No information provided.

12.4 Mobility in soil

No information provided.

12.5 Other adverse effects

No information provided.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal Reuse where possible. No special precautions are required for this product.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

PRODUCT NAME MONT MARTE KIDS COLOUR CRAYONS

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None Allocated	None Allocated	None Allocated
14.2 Proper Shipping Name	None Allocated	None Allocated	None Allocated
14.3 Transport hazard class	None Allocated	None Allocated	None Allocated
14.4 Packing Group	None Allocated	None Allocated	None Allocated

14.5 Environmental hazards No information provided

14.6 Special precautions for user

Hazchem code None Allocated

15. REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.

The classifications and phrases listed below are based on the Approved Criteria for Classifying Hazardous Substances [NOHSC: 1008(2004)].

Hazard codes None allocated.

Risk phrases None allocated.

Safety phrases None allocated.

Inventory listing(s) **AUSTRALIA: AICS (Australian Inventory of Chemical Substances)**
All components are listed on AICS, or are exempt.

16. OTHER INFORMATION

Additional information **WORKPLACE CONTROLS AND PRACTICES** Unless a less toxic chemical can be substituted for a hazardous substance, **ENGINEERING CONTROLS** are the most effective way of reducing exposure. The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release. Isolating operations can also reduce exposure. Using respirators or protective equipment is less effective than the controls mentioned above, but is sometimes necessary.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

PRODUCT NAME MONT MARTE KIDS COLOUR CRAYONS**Abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists
CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds
CNS	Central Nervous System
EC No.	EC No - European Community Number
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
LC50	Lethal Concentration, 50% / Median Lethal Concentration
LD50	Lethal Dose, 50% / Median Lethal Dose
mg/m ³	Milligrams per Cubic Metre
OEL	Occupational Exposure Limit
PEL	Permissible Exposure Limit
pH	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
ppm	Parts Per Million
REACH	Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
STEL	Short-Term Exposure Limit
STOT-RE	Specific target organ toxicity (repeated exposure)
STOT-SE	Specific target organ toxicity (single exposure)
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
SWA	Safe Work Australia
TLV	Threshold Limit Value
TWA	Time Weighted Average

Revision history

Revision	Description
2.0	Conversion to GHS requirements. Modified supplier address.
1.0	Initial SDS creation

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies
5 Ventnor Ave, West Perth
Western Australia 6005
Phone: +61 8 9322 1711
Fax: +61 8 9322 1794
Email: info@rmt.com.au
Web: www.rmt.com.au.

Revision: 2
SDS date: 24 April 2014

[End of SDS]